

GRASS ADHESIVE

Solvent Free 2 Components Polyurethane Grass Carpet Adhesive

It can be used indoors and outdoors for synthetic grass carpet bonding with shore elastic and highly strength. The Grass Adhesive is suitable for the adhering industrial rubber floorings, sports area floor coverings and PVC coverings.

Special features

- Bonds shore elastic
- Solvent free
- High bonding strength
- Resistant to weather conditions

Substrates

The substrate must be smooth, dry, clean, free of cracks and pressure resistant.



TECHNICAL SPECIFICATIONS

Mixing Ratio	9/1 : A/B (by weight)
Consumption	400-600 gr/m ²
Density	1,70 kg/lit
Viscosity	Pasty
Waiting Time	None
Open Time for Mixture	20-40min (depending on temperature and humidity)
Temperature Resistance	-20°C/+130°C (after bonding)
Chemical Resistance	After 7 days
Package	25 kg (A/B) set
Color	Green

Application:

9 parts of Tortoise Grass and 1 part of hardener by weight should be mixed together for two minutes. Apply the mixture to a prepared substrate with suitable notched trowel. The mixture's application time is 20-40 minutes. After 5-8 hours it gets strength for mechanical effects. Adhesive should be spread both on covering and the sub floor if the sub floor is going to be faced with moisture.

Cleaning

Equipment can be clean after operation with acetone or toluol.

Safety regulations

It is necessary to wear gloves and face guard while working with the product. Don't make products contact to your skin or eyes. If contact occurs, rinse thoroughly with water. In case of eye contact, look for medical advice. Keep product away from children.

Storage

In an isolated environment, in a dry place at +23°C; shelf life is 6 months; in airtight containers.

The information and recommendations contained herein are based on the current state of our knowledge. However, no guarantee or warranty of any kind expressed or implied is made with respect to the information contained here.

