

## SBR GRANULE

### MATERIAL SPECIFICATIONS

**Made**  
SBR


**Color**  
Black / All colors

**Resistance**  
All climatic conditions  
Not flammable

**Suitable for**  
Artificial turf infill  
Sports fields flooring  
Running Tracks  
Bicycle Paths  
Walking paths



|                  |                             |
|------------------|-----------------------------|
|                  | SBR                         |
| <b>Size</b>      | 0.8-2.5mm,1-4mm             |
| <b>Color</b>     | Black                       |
| <b>Packaging</b> | 50kg PE bag, 1000kg Big Bag |




\*Please check the website or get in touch for more details.

PRODUCT DATA SHEET:  
SBR Gran M

**SPECIFICATIONS :**

**Chemical and physical properties :** these materials are derived from the shredding of used tires and have maintained the characteristics of composition based on natural and synthetic rubbers .

|                  |                                |
|------------------|--------------------------------|
| Name             | SBR Gran M                     |
| Description      | Granules Rubber                |
| Type Polymer     | SBR (Styrene Butadiene Rubber) |
| Origin           | PFU (used tires)               |
| Grain Size       | 1-4 mm                         |
| Appearance       | A2-B3                          |
| Color            | Black                          |
| Physical State   | Solid , granular               |
| PH               | not Applicable                 |
| Melting Point    | not Applicable                 |
| Boiling Point    | not Applicable                 |
| Flash Point      | not flammable                  |
| Auto-Ignition    | 370 °C                         |
| Viscosity        | not Applicable                 |
| Vapor Pressure   | not Applicable                 |
| Apparent Density | 450 Kg/m <sup>3</sup>          |
| Water Solubility | insoluble                      |
| Lipid            | insoluble                      |



Hazardous substances, in accordance with Directive 67/548/CEE and Legislative Decree 65/2003 and their classification

Product Certified by:




PRODUCT DATA SHEET:  
SBR Gran S

**SPECIFICATIONS :**

**Chemical and physical properties :** these materials are derived from the shredding of used tires and have maintained the characteristics of composition based on natural and synthetic rubbers .

|                  |                                |
|------------------|--------------------------------|
| Name             | SBR Gran S                     |
| Description      | Granules Rubber                |
| Type Polymer     | SBR (Styrene Butadiene Rubber) |
| Origin           | PFU (used tires)               |
| Grain Size       | 0.8-2.5 mm                     |
| Appearance       | A2-B3                          |
| Color            | Black                          |
| Physical State   | Solid , granular               |
| PH               | not Applicable                 |
| Melting Point    | not Applicable                 |
| Boiling Point    | not Applicable                 |
| Flash Point      | nonflammable                   |
| Auto-Ignition    | 370 °C                         |
| Viscosity        | not Applicable                 |
| Vapor Pressure   | not Applicable                 |
| Apparent Density | 450 Kg/m <sup>3</sup>          |
| Water Solubility | insoluble                      |
| Lipid            | insoluble                      |



Hazardous substances, in accordance with Directive 67/548/CEE and Legislative Decree 65/2003 and their classification

Product Certified by

